



IMEI Database Application Forms

Version 5.0

24 January 2017

This is a Non-binding Permanent Reference Document of the GSMA

Security Classification: Non-confidential

Access to and distribution of this document is restricted to the persons permitted by the security classification. This document is confidential to the Association and is subject to copyright protection. This document is to be used only for the purposes for which it has been supplied and information contained in it must not be disclosed or in any other way made available, in whole or in part, to persons other than those permitted under the security classification without the prior written approval of the Association.

Copyright Notice

Copyright © 2017 GSM Association

Disclaimer

The GSM Association ("Association") makes no representation, warranty or undertaking (express or implied) with respect to and does not accept any responsibility for, and hereby disclaims liability for the accuracy or completeness or timeliness of the information contained in this document. The information contained in this document may be subject to change without prior notice.

Antitrust Notice

The information contain herein is in full compliance with the GSM Association's antitrust compliance policy.

Table of Contents

1	Introduction	3
1.1	Overview	3
1.2	Scope	3
1.3	Definition of Terms	3
1.4	Document Cross-References	4
2	Manufacturer Registration Application Form	4
2.1	Company Details	4
2.2	Main Contacts Details (This should be a director or a senior manager of the company)	5
2.3	Second Contacts Details (This may be agent working for the registered company or may be the person tasked with requesting the TAC)	6
2.4	Completion of the Registration Form	6
2.4.1	Additional Explanations of the registration form (If required)	6
2.5	What happens next	7
3	TAC Request Form	7
3.1	Details of the device the TAC will be used for.	7
3.2	GSMA Reporting Body use only (for information only)	18
3.3	Completion of the TAC Form	18
3.3.1	Additional Explanations of the TAC form (If required)	19
3.4	What happens next	19
Annex A	Document Management	20
A.1	Document History	20

1 Introduction

1.1 Overview

This document provides information to help Manufacturers with the completion and submission of the different application forms used within the GSMA IMEI Database that are defined and described in detail in this document.

Within this document references made to the “Manufacturer” also apply to the “Brand Owner”.

Due to regulatory requirements in some countries, the GSMA requires that the Brand Owner selling the device should be identical to the company requesting and owning the TAC. This will help to avoid problems with regional regulators and customs agencies.

1.2 Scope

This document is restricted to the forms used within the GSMA IMEI database, these are:

- the Manufacturer Registration Application form
- the TAC Request form.

All forms MUST be completed in English.

Full details of the IMEI Allocation and Approval Process are available in PRD TS.06 and it is strongly recommended that TS.06 is completely read before registering a company and applying for TAC.

1.3 Definition of Terms

Term	Description
Brand Owner - BO	Brand Owners are Private Labels that neither design nor manufacture any products. These companies generally select and acquire existing products from Original Design Manufacturers (ODMs) who offer their off-the-shelf portfolio to their customers. Brand Owners / Private Labels sometimes also work through IDHs for their design requirements and Electronic Manufacturing Services (EMS's) for contract manufacturing. These companies market the procured products under their own brand names to the consumers
Electronic Manufacturing Services - EMS	Companies that provide manufacturing services to other companies including Original Equipment Manufacturers (OEMs) and Independent Design Houses (IDH's). EMS do not sell or market any product under their own brand
eUICC	A removable or non-removable UICC which enables the remote and/or local management of Profiles in a secure way (As defined in SGP.21 & SGP.22)
IMEI	International Mobile Equipment Identity
Independent Design House - IDH	Companies that have independent in-house design expertise and produce custom / reference designs for other companies including ODM's, OEM's, and EMS's but do not provide any manufacturing services to their customers neither do they sell or market any products under their own brand.
Original Design Manufacturer - ODM	Companies that design and manufacture products that are sold by other companies under their own brand names. The ODM's do not sell or market their products directly to the consumers

Original Equipment Manufacturer - OEM	Company that designs, manufacture, sell, and market products under their own brand name. Some OEM's only design their products while the manufacturing is outsourced to contract manufacturers, generally referred to EMS / ECM (Electronic Manufacturing Services / Electronic Contract Manufacturing).
PRD	Permanent Reference Document
RB	Reporting Body – these are the organisations that process the manufacturer / brand owner registration form and allocate the TAC (These are NOT automatic processes)
TAC	Type Allocation Code
UICC	As defined in ETSI TR 102 216

1.4 Document Cross-References

Ref	Document Number	Title
[1]	GSMA PRD TS.06	IMEI Allocation and Approval Process

2 Manufacturer Registration Application Form

When a Manufacturer / Brand owner requires a TAC it must first register its company and contact details in the Database.

The following table shows the different fields that are required to be completed by a Manufacturer / Brand Owner when it registers its company in the GSMA IMEI Database.

Most of the requested information is Mandatory (M) however a few fields are Optional (O). Completion of the Optional fields will help with the verification of the manufacturer registration.

2.1 Company Details

M / O	Requested Information	Example of Completed Information	Notes
M	Company Name (Text Box)	<i>ABC Mobile Phones</i>	Only one company name is allowed per registration form.
M	The Registered Head Office Address (Text Box)	<i>55 High Street London</i>	
M	Country where the Head Office is located(Dropdown list)	<i>United Kingdom</i>	Select the country where your head office is located from the drop down list.
M	Office Phone Number (Text Box)	<i>+44 1234 567 890</i>	To be completed in an international format. This should be the head office main switch board phone number.

M	Company Registration Number (Text Box)	<i>ABCD1234</i>	This is a number obtained from your local authority when the company was first registered. A copy of this registration certificate will be requested by the RB.
O	CompanyWebsite (Text Box)	<i>www.ABCM.co.uk</i>	
O	ISO 9000 Certificate Allocation Body (Text Box)		The organisation issuing your ISO9000 certificate
O	ISO 9000 Certificate Number(Text Box)		
M	Do you manufacturer and sell devices under your own brand name?	Yes	
		No	
M	Do you manufacturer devices which are sold under other companies brand names?	Yes	
		No	
M	Do you sell device under your brand name, which are made by other manufacturers?	Yes	
		No	
M	Company Registered Brand Name (Text Box)	<i>ABC</i>	
M	Company Registered Brand Name certificate number		A copy of the brand registration certificate must be sent to the RB when requested.
M	My company is a GSMA Member	Yes	The GSMA offers a 10% discount to GSMA members. Eligibility will confirmed by the RB.
		No	
M	Are you aware of GSMA IMEI Allocation and Approval Process TS06	Yes	
		No	

2.2 Main Contacts Details (This should be a director or a senior manager of the company)

M / O	Requested Information	Example of Completed Information	Notes
M	Name (Title, First Name & Family Name(text boxes)	<i>Mr Fred Flintstone</i>	This person will be contacted to approve any changes to the second contacts details.
M	Job Title (Text Box)	<i>Director</i>	
M	Mobile Phone Number	<i>+44 1234 567 890</i>	To be completed in an international format. This should be the main contact's own phone number.
M	Email (Text Box)	<i>fflintstone@ABC.com</i>	

O	Comments (Text Box)	<i>I will be importing devices from China and I need to give the manufacturer my TAC</i>	
----------	---------------------	--	--

2.3 Second Contacts Details (This may be agent working for the registered company or may be the person tasked with requesting the TAC)

M / O	Requested Information	Example of Completed Information	Notes
M	Name (Title, First Name & Surname text boxes)	<i>Mr Fred Flintstone</i>	
M	Job Title (Text Box)	<i>Director</i>	
M	Mobile Phone Number	<i>+44 1234 567 890</i>	To be completed in an international format. This should be the contact's own phone number.
M	Email (Text Box)	<i>fflintstone@ABC.com</i>	
O	Comments (Text Box)	<i>I will be importing devices from China and I need to give the manufacturer my TAC</i>	

2.4 Completion of the Registration Form

M / O	Requested Information	Example of Completed Information	Notes
M	I accept, the Terms & Conditions on behalf of the company I work for (Check box)	Yes	Yes must be selected to proceed with the registration
		No	After confirmation, the application form will be terminated.
M	Submit, Reset & Back (Buttons)	Submit	This will send a notification to the RB that the registration application has been made.
		Reset	This will clear all of the information and it will need to be entered again.
		Back	This will take the applicant back to the previous page and the completed data will be cleared.

2.4.1 Additional Explanations of the registration form (If required)

Text to be added if/as required.

2.5 What happens next

Notification of the completed application form is automatically sent to the RB. The RB will verify the details that have been provided. If more information is needed the RB will contact the applicant.

When the form has been verified the applicant will be sent an email with its login details (manufacturer I.D. and password). This process is normally completed by the RB within 2 working days.

The applicant can now login to the IMEI database, using these details, and request a TAC. See TS.06 for the full process details.

3 TAC Request Form

The TAC request form should be completed providing full details of the device that the TAC is to be used for, additional information like a technical specification may be requested by the RB before the TAC is allocated.

Most of the requested information is Mandatory (M) however a few fields are Optional (O). Completion of the Optional fields will help with the verification of the device for which the TAC is being requested.

3.1 Details of the device the TAC will be used for.

M / O	Requested Information	Example of Completed Information	Notes
M	Applicant Name	<i>Mr Fred Flintstone</i>	
M	Applicant Email Address	<i>fflintstone@ABC.com</i>	
M	Brand Name (Pick list)	<i>ABC</i>	
M	Are you the OEM?	Yes	
		No	<i>Mr B Rubbel Beadrock Manufacturing Shenzhen PRC b.rubbel@gmail.com</i> If No then the details of the manufacturer (ODM) or design house (IDH) MUST be completed on TAC application form (Company Name, Address, Contact name, Contact email)
M	Equipment Type (Dropdown list)	Mobile Phone/Feature phone	For details of these different equipment types see TS.06
		Smartphone	
		Tablet	
		e-Book	
		Connected Computer	
		Dongle	
		Modem	
WLAN Router			
M	Model Name (Text Box)	<i>Rock Mobile</i>	

O	Internal Model Name (Designation Type) (Text Box)	ROC123	
M	Marketing Name (Text Box)	Hard Rock, Rock Star	This is the name that will be used for the sale of the device. More than one Marketing Name can be added with a comma between each name, max 3. Marketing/sales material and/or technical specifications are to be provided to the RB when requested to show these models are exactly the same.
M	Quantity of TAC Required (Dropdown list)	1	In normal circumstances 1 TAC (1,000,000 IMEI) is all that is required. However for production quantities in excess of 1,000,000 of the same device additional TAC can be requested.
		2	
		3	
		4	
		5	
O	Device Certification Bodies	CE, FCC, IC, GCF, PTCRB, CCC, Anatel, etc.	This should be a list of ALL the different organisations that the devices will be approved by. These should be listed with a comma between each organisation.
M	Operating System/Platform Supported (Dropdown list)	Android	For details of these different Operating Systems and for details of when either "None" or "Not Known" are acceptable see TS.06.
		Bada	
		BlackBerry	
		CyanogenMod	
		Firefox	
		iOS	
		Mac OS	
		Nucleus	
		RTOS	
		S30	
		Sailfish	
		Symbian	
		ThreadX	
		TIZEN	
		UBUNTU	

		Windows Phone	
		YunOS (Aliyun)	
		None	
		Not Known	
Other Radio Interfaces Supported			
M	Radio Interfaces	CDMA	
		3GPP2	
		Satellite	
		None	
	Modes, Bands Supported		
O	GSM		If "GSM" is selected then at least one of the frequency bands below must also be selected.
		GSM 450	
		GSM850 (GSM800)	
		GSM 900	
		GSM 1800	
		GSM 1900	
O	WCDMA FDD		If "WCDMA FDD" is selected then at least one of the frequency bands below must also be selected.
		I	
		II	
		III	
		IV	
		V	
		VI	
		VII	
		VIII	
		IX	
O	WCDMA TDD		If "WCDMA TDD" is selected then at least one of the frequency bands below must also be selected.
		A	
		B	
		C	
		D	

O	TD-SCDMA		If "TD-SCDMA" is selected then "TD-SCDMA" below must also be selected.
		TD-SCDMA	
O	E-UTRA (LTE) FDD		If "LTE FDD" is selected then at least one of the frequency bands below must also be selected.
		1	
		2	
		3	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		11	
		12	
		13	
		14	
		15	
		16	
		17	
		18	
		19	
		20	
		21	
		22	
		23	
		24	
		25	
		26	
		27	
		28	
		29	
		30	
		31	
		32	

O	E-UTRA (LTE) TDD		If "LTE TDD" is selected then at least one of the frequency bands below must also be selected.
		33	
		34	
		35	
		36	
		37	
		38	
		39	
		40	
		41	
		42	
		43	
		44	
O	Intra-band contiguous Carrier Aggregation (CA) operating bands and configurations		If "CA" is selected then at least one of the frequency bands below must also be selected.
		CA_1C	
		CA_2C	
		CA_3C	
		CA_4C	
		CA_5C	
		CA_7B	
		CA_7C	
		CA_12B	
		CA_13C	
		CA_23B	
		CA_27B	
		CA_38C	
		CA_39C	
		CA_40C	
		CA_40D	
		CA_41C	
		CA_41D	
		CA_42C	
		CA_42D	

O	Inter-band Carrier Aggregation (CA) operating bands and configurations (Two Bands)		If "CA" is selected then at least one of the frequency bands below must also be selected.
		CA_1A-3A	
		CA_1A-5A	
		CA_1A-7A	
		CA_1A-8A	
		CA_1A-11A	
		CA_1A-18A	
		CA_1A-19A	
		CA_1A-20A	
		CA_1A-21A	
		CA_1A-26A	
		CA_1A-28A	
		CA_1A-40A	
		CA_1A-41A	
		CA_1A-41C	
		CA_1A-42A	
		CA_1A-42C	
		CA_2A-4A	
		CA_2A-2A-4A	
		CA_2A-4A-4A	
		CA_2A-2A-4A-4A	
		CA_2A-5A	
		CA_2A-2A-5A	
		CA_2C-5A	
		CA_2A-12A	
		CA_2A-2A-12A	
		CA_2A-12B	
		CA_2C-12A	
		CA_2A-13A	
		CA_2A-2A-13A	
		CA_2A-17A	
		CA_2A-28A	
		CA_2A-29A	
		CA_2C-29A	
		CA_2A-30A	
		CA_2C-30A	

		CA_3A-5A	
		CA_3C-5A	
		CA_3A-7A	
		CA_3A-7B	
		CA_3A-7C	
		CA_3C-7A	
		CA_3A-8A	
		CA_3A-3A-8A	
		CA_3A-19A	
		CA_3A-20A	
		CA_3A-26A	
		CA_3A-27A	
		CA_3A-28A	
		CA_3A-31A	
		CA_3A-38A	
		CA_3A-40A	
		CA_3A-40C	
		CA_3A-42A	
		CA_3A-42C	
		CA_4A-5A	
		CA_4A-4A-5A	
		CA_4A-7A	
		CA_4A-4A-7A	
		CA_4A-12A	
		CA_4A-4A-12A	
		CA_4A-12B	
		CA_4A-13A	
		CA_4A-4A-13A	
		CA_4A-17A	
		CA_4A-27A	
		CA_4A-28A	
		CA_4A-29A	
		CA_4A-30A	
		CA_5A-5A	
		CA_5A-7A	
		CA_5A-12A	
		CA_5A-13A	
		CA_5A-17A	

		CA_5A-25A	
		CA_5A-29A	
		CA_5A-30A	
		CA_5A-40A	
		CA_7A-8A	
		CA_7A-12A	
		CA_7A-20A	
		CA_7A-22A	
		CA_7A-28A	
		CA_7B-28A	
		CA_8A-11A	
		CA_8A-20A	
		CA_8A-40A	
		CA_8A-41C	
		CA_11A-18A	
		CA_12A-25A	
		CA_12A-30A	
		CA_18A-28A	
		CA_19A-21A	
		CA_19A-42C	
		CA_20A-31A	
		CA_20A-32A	
		CA_21A-42A	
		CA_21A-42C	
		CA_23A-29A	
		CA_25A-26A	
		CA_25A-41A	
		CA_25A-41C	
		CA_25A-41D	
		CA_26A-41A	
		CA_26A-41C	
		CA_29A-30A	
		CA_38A-40A	
		CA_38A-40A-40A	
		CA_38A-40C	
		CA_39A-41A	
		CA_39A-41C	
		CA_39C-41A	

		CA_41A-42A	
		CA_41A-42C	
O	Inter-band Carrier Aggregation (CA) operating bands and configurations		If "CA" is selected then at least one of the frequency bands below must also be selected.
		CA_1A-3A-5A	
		CA_1A-3A-8A	
		CA_1A-3A-19A	
		CA_1A-3A-20A	
		CA_1A-3A-26A	
		CA_1A-3A-28A	
		CA_1A-3A-42A	
		CA_1A-5A-7A	
		CA_1A-7A-20A	
		CA_1A-7A-28A	
		CA_1A-18A-28A	
		CA_1A-19A-21A	
		CA_1A-19A-42A	
		CA_1A-21A-42A	
		CA_2A-4A-5A	
		CA_2A-4A-12A	
		CA_2A-2A-4A-12A	
		CA_2A-4A-4A-12A	
		CA_2A-4A-13A	
		CA_2A-4A-29A	
		CA_2A-4A-30A	
		CA_2A-5A-12A	
		CA_2A-5A-13A	
		CA_2A-5A-29A	
		CA_2A-5A-30A	
		CA_2C-5A-30A	
		CA_2A-12A-30A	
		CA_2C-12A-30A	
		CA_2A-29A-30A	
		CA_2C-29A-30A	
		CA_3A-7A-8A	
		CA_3A-7A-20A	
		CA_3A-7A-28A	

		CA_3A-19A-42A	
		CA_4A-5A-12A	
		CA_4A-5A-13A	
		CA_4A-5A-30A	
		CA_4A-7A-12A	
		CA_4A-12A-30A	
		CA_4A-29A-30A	
		CA_7A-8A-20A	
		CA_19A-21A-42A	
O	Inter-band Carrier Aggregation (CA) operating bands and configurations (Four Bands)		If "CA" is selected then at least one of the frequency bands below must also be selected.
		CA_2A-4A-5A-30A	
		CA_2A-4A-12A-30A	
		CA_2A-4A-29A-30A	
O	Intra-band non-contiguous Carrier Aggregation operating bands and configurations (With Two Sub-Blocks)		If "CA" is selected then at least one of the frequency bands below must also be selected.
		CA_2A-2A	
		CA_3A-3A	
		CA_4A-4A	
		CA_7A-7A	
		CA_23A-23A	
		CA_25A-25A	
		CA_40A-40A	
		CA_41A-41A	
		CA_41A-41C	
		CA_41C-41A	
		CA_42A-42A	
		CA_42A-42C	
		CA_42C-42A	
O	Inter-band dual connectivity operating bands and configurations (two bands)		If "CA" is selected then at least one of the frequency bands below must also be selected.
		DC_1A-3A	
		DC_1A-5A	

		DC_1A-7A	
		DC_1A-8A	
		DC_1A-19A	
		DC_1A-21A	
		DC_2A-4A	
		DC_2A-13A	
		DC_3A-5A	
		DC_3A-7A	
		DC_3A-8A	
		DC_3A-19A	
		DC_3A-20A	
		DC_3A-26A	
		DC_4A-7A	
		DC_4A-12A	
		DC_4A-13A	
		DC_4A-17A	
		DC_5A-7A	
		DC_5A-12A	
		DC_5A-17A	
		DC_7A-20A	
		DC_7A-28A	
		DC_19A-21A	
		DC_39A-41A	
O	CDMA2000		If "CDMA2000" is selected then "CDMA2000" below must also be selected.
		CDMA2000	
O	GAN		If "GAN" is selected then "GAN" below must also be selected.
		GAN	
M	Does your device support: Removable UICC	Yes / No	If selected as Yes then the number of UICC supported shall be selectable (1)
M	Does your device support: Removable eUICC	Yes / No	If selected as Yes then the number of eUICC shall also be selectable (2)
M	Does your device support: Non Removable UICC	Yes / No	If selected as Yes then the number of UICC supported shall be selectable (1)

M	Does your device support: Non Removable eUICC	Yes / No	If selected as Yes then the number of eUICC shall also be selectable (2)
(1)M	UICC Support (Dropdown list)	1 UICC	Select the number of UICC slots that the device has. The default is 1
		2 UICC	
		3 UICC	
		4 UICC	
(2)M	eUICC Support (Dropdown list)	1 eUICC	Select the number of eUICC that the device has. The default is 1
		2 eUICC	
		3 eUICC	
		4 eUICC	
O	Other 3GPP Frequency bands not listed on the form (Text box)		3GPP Frequency bands not listed above can be listed here
M	Does the device support NFC?	Yes	
		No	
M	Does the device support WLAN?	Yes	
		No	
M	Does the device support Bluetooth?	Yes	
		No	

3.2 GSMA Reporting Body use only (for information only)

M / O	Requested Information	Example of Completed Information	Notes
	TAC	35123456	This is where the RB will add the TAC to the application form

3.3 Completion of the TAC Form

M / O	Requested Information	Example of Completed Information	Notes
M	Submit, Reset & Back (Buttons)	Submit	This will send a notification to the RB that the registration application has been made.
		Reset	This will clear all of the information and it will need to be entered again.
		Back	This will take the applicant back to the previous page and the completed data will be cleared.

3.3.1 Additional Explanations of the TAC form (If required)

Text to be added if/as required.

3.4 What happens next

Notification of the completed TAC request form is automatically sent to the RB. The RB will verify the details that have been provided. If more information is needed the RB will contact the applicant.

When the form has been verified, the applicant will be sent an email with the TAC number(s) on a certificate along with the device details that the TAC has been allocated for.

See TS.06 for the full process details.

Annex A Document Management

A.1 Document History

Version	Date	Brief Description of Change	Approval Authority	Editor Company /
1.0	25 th September 2014	Submitted to DQRT and will be submitted for PSMC approval	PSMC	Paul Gosden, GSMA
2.0	Oct 2015	Addition CA bands added	TSG	Paul Gosden, GSMA
3.0	Jan 2016	Updated with CR1003 approved at TSG22 meeting.	TSG	Paul Gosden, GSMA
4.0	June 2016	Updated with CR1005 approved at TSG25 meeting	TSG	Paul Gosden, GSMA
5.0	Jan 2017	Updated with CR1006	TSG	Paul Gosden, GSMA

It is our intention to provide a quality product for your use. If you find any errors or omissions, please contact us with your comments. You may notify us at prd@gsma.com

Your comments or suggestions & questions are always welcome.